L Number	Hits	Search Text	DB	Time stamp	Ŧ,
1	7	((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) adj8 table) and	USPAT;	2004/08/12 12:41	٦.
		((ymc or ycm or mcy or myc or cym or cmy or ymck or ycmk or	US-PGPUB;		
		mcyk or myck or cymk or cmyk or (y near3 m near3 c) or (y	EPO; JPO;		
		near3 m near3 c near3 k))) and (interpolat\$5) and	DERWENT;		
		@rlad<19991222	IBM TDB		

L Number	Hits	Search Text	DB	Time stamp
1	988	(color near5 conver\$5) and (input\$5 near5 (ymc or ycm or mcy	USPAT;	2004/08/12 13:21
		or myc or cym or cmy or ymck or ycmk or mcyk or myck or	US-PGPUB;	
		cymk or cmyk or (y near3 m near3 c) or (y near3 m near3 c	EPO; JPO;	
		near3 k))) and (output\$5 near5 (ymc or ycm or mcy or myc or	DERWENT;	
		cym or cmy or ymck or ycmk or mcyk or myck or cymk or cmyk	IBM_TDB	
		or (y near3 m near3 c) or (y near3 m near3 c near3 k)))		
2	262	((color near5 conver\$5) and (input\$5 near5 (ymc or ycm or	USPAT;	2004/08/12 13:27
2	202	mcy or myc or cym or cmy or ymck or ycmk or mcyk or myck	US-PGPUB;	2001/00/12 13.27
		or cymk or cmyk or (y near3 m near3 c) or (y near3 m near3 c	EPO; JPO;	
		near3 k))) and (output\$5 near5 (ymc or ycm or mcy or myc or	DERWENT;	
		cym or cmy or ymck or ycmk or mcyk or myck or cymk or cmyk	IBM_TDB	
		or		
		(y near3 m near3 c) or (y near3 m near3 c near3 k)))) and		
		@rlad<19991222	_	
3	149	(((color near5 conver\$5) and (input\$5 near5 (ymc or ycm or	USPAT;	2004/08/12 13:27
		mcy or myc or cym or cmy or ymck or ycmk or mcyk or myck	US-PGPUB;	
		or cymk or cmyk or (y near3 m near3 c) or (y near3 m near3 c	EPO; JPO;	
		near3 k))) and (output\$5 near5 (ymc or ycm or mcy or myc or cym or cmy or ymck or ycmk or mcyk or myck or cymk or cmyk	DERWENT; IBM_TDB	
		or	מטו_ויוםנ	
		(y near3 m near3 c) or (y near3 m near3 c near3 k)))) and		
		@rlad<19991222) and (halfton\$5 or half-ton\$5 or (half near5		
		ton\$5))		
4	97	(color near5 conver\$5) and (input\$5 near5 (ymck or ycmk or	USPAT;	2004/08/12 13:57
		mcyk or myck or cymk or cmyk or (y near3 m near3 c near3	US-PGPUB;	
		k))) and (input\$5 near5 (cielab or (I*a*b*) or (I* near3 a*	EPO; JPO;	:
		near3 b*) or lab)) and (output\$5 near5 (ymck or ycmk or mcyk	DERWENT;	
		or myck or cymk or cmyk or	IBM_TDB	
ا ا	^	(y near3 m near3 c near3 k)))	LICDAT	2004/09/12 12:27
6	0	(((color near5 conver\$5) and (input\$5 near5 (ymck or ycmk or mcyk or myck or cymk or cmyk or (y near3 m near3 c near3	USPAT; US-PGPUB;	2004/08/12 13:27
		k))) and (input\$5 near5 (cielab or (l*a*b*) or (l* near3 a*	EPO; JPO;	
		near3 b*) or lab)) and (output\$5 near5 (ymck or ycmk or mcyk	DERWENT;	
		or myck or cymk or cmyk or	IBM_TDB	
		(y near3 m near3 c near3 k)))) and @rlad<19991222) and	_	
		(halfton\$5 or half-ton\$5 or (half near5 ton\$5))		
5	15	((color near5 conver\$5) and (input\$5 near5 (ymck or ycmk or	USPAT;	2004/08/12 13:27
		mcyk or myck or cymk or cmyk or (y near3 m near3 c near3	US-PGPUB;	
		k))) and (input\$5 near5 (cielab or (l*a*b*) or (l* near3 a*	EPO; JPO;	
!		near3 b*) or lab)) and (output\$5 near5 (ymck or ycmk or mcyk	DERWENT;	
		or myck or cymk or cmyk or (y near3 m near3 c near3 k)))) and @rlad<19991222	IBM_TDB	
7	70		USPAT;	2004/08/12 14:00
'	, 5	or myc or cym or cmy or (y near3 m near3 c))) and (input\$5	US-PGPUB;	
		near5 (cielab or (l*a*b*) or (l* near3 a* near3 b*) or lab)) and	EPO; JPO;	
		(output\$5 near5 (ymck or ycmk or mcyk or myck or cymk or	DERWENT;	
1		cmyk or	IBM_TDB	
		(y near3 m near3 c near3 k)))		
8	15	((color near5 conver\$5) and (input\$5 near5 (ymc or ycm or	USPAT;	2004/08/12 14:02
		mcy or myc or cym or cmy or (y near3 m near3 c))) and	US-PGPUB;	
1		(input\$5 near5 (cielab or (l*a*b*) or (l* near3 a* near3 b*) or lab)) and (output\$5 near5 (ymck or ycmk or mcyk or myck or	EPO; JPO;	
		cymk or cmyk or	DERWENT; IBM_TDB	
]		(y near3 m near3 c near3 k)))) and @rlad<19991222	1011_100	
9	16	(color near5 conver\$5) and (input\$5 near5 (ymc or ycm or mcy	USPAT;	2004/08/12 14:03
-		or myc or cym or cmy or (y near3 m near3 c))) and (input\$5	US-PGPUB;	, 20, 22 21.00
		near5 (cielab or (l*a*b*) or (l* near3 a* near3 b*) or lab)) and	EPO; JPO;	
		(output\$5 near5 (ymck or ycmk or mcyk or myck or cymk or	DERWENT;	
		cmyk or	IBM_TDB	
L		(y near3 m near3 c near3 k))) and (black near3 generat\$5)	<u> </u>	<u></u>

near5 conver\$5) and (input\$5 near5 (ymc or ycm or	USPAT;	2004/08/12 14:03	1
			۲
	, , ,		l
• • • • • • • • • • • • • • • • • • • •			l
	IBM_TDB		l
	USPAT:	2004/08/12 14:04	l
		200 1,00,12 11101	l
is in hears c hears kyyy and (black hears generacys)			
nearE convertE) and (insultE nearE (vmc or vem or	_	2004/09/12 14:06	
	,	2004/06/12 14.06	l
	,		l
			ŀ
	IBM_TDB		
or k) adj3 generator and @rlad<19991222	USPAT;	2004/08/12 14:07	l
	US-PGPUB:		l
			l
			l
			l
	r near5 conver\$5) and (input\$5 near5 (ymc or ycm or myc or cym or cmy or (y near3 m near3 c))) and \$5 near5 (cielab or (!*a*b*) or (!* near3 a* near3 b*) or and (output\$5 near5 (ymck or ycmk or mcyk or myck or cmyk or may or cmyk or may or cmyk or may or cmyk or may or (y near3 m near3 generat\$5)) rlad<19991222 near5 conver\$5) and (input\$5 near5 (ymc or ycm or mcy or cym or cmy or (y near3 m near3 c))) and (output\$5 (ymck or ycmk or mcyk or myck or cymk or cmyk or my near3 c near3 k))) and (black near3 generat\$5) The near5 conver\$5) and (input\$5 near5 (ymc or ycm or myc or cym or cmy or (y near3 m near3 c))) and wit\$5 near5 (ymck or ycmk or mcyk or myck or cymk or cym or myc or cym or cmy or (y near3 m near3 c))) and wit\$5 near5 (ymck or ycmk or mcyk or myck or cymk or cym or mnear3 c near3 k))) and (black near3 generat\$5)) rlad<19991222 or k) adj3 generator and @rlad<19991222	r myc or cym or cmy or (y near3 m near3 c))) and \$5 near5 (cielab or (l*a*b*) or (l* near3 a* near3 b*) or ind (output\$5 near5 (ymck or ycmk or mcyk or myck or cmyk or r3 m near3 c near3 k))) and (black near3 generat\$5)) rlad<19991222 near5 conver\$5) and (input\$5 near5 (ymc or ycm or mcy cymck or cymk or mcyk or myck or cymk or cmyk or myck or cymk or more mear3 c near3 k))) and (black near3 generat\$5) The near5 conver\$5 and (input\$5 near5 (ymc or ycm or myck or cymcy or cym or cmy or (y near3 m near3 c))) and myck or cymcy or cymcy or cymcy or cymcy or myck or myck or cymk or myck or cymcy or cymcy or myck or myck or cymk or myc	r myc or cym or cmy or (y near3 m near3 c))) and \$5 near5 (cielab or (l*a*b*) or (l* near3 a* near3 b*) or or cmyk or cmyk or r3 m near3 c near3 k))) and (black near3 generat\$5)) rlad<19991222 near5 conver\$5) and (input\$5 near5 (ymc or ycm or mcy cor cym or cmy or (y near3 m near3 c))) and (output\$5 (ymck or ycmk or mcyk or mcyk or cymk or cmyk or r3 m near3 c near3 k))) and (black near3 generat\$5) r near5 conver\$5) and (input\$5 near5 (ymc or ycm or r3 m near3 c near3 k))) and (black near3 generat\$5) r near5 conver\$5) and (input\$5 near5 (ymc or ycm or r4 myc or cym or cmy or (y near3 m near3 c))) and (black near3 generat\$5) r near5 (ymck or ycmk or mcyk or myck or cymk or cymk or cym or cym or cmy or (y near3 m near3 c))) and (black near3 generat\$5)) rlad<19991222 or k) adj3 generator and @rlad<19991222 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/08/12 14:06 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/08/12 14:07 USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB